

# Material Safety Data Sheet

EPO JOINT SEALANT

QUICK IDENTIFIER  
Common Name: (Used on label and list)

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910. 1200. Standard must be consulted for specific requirements.

## SECTION 1 -

Manufacturer's Name: DYNAMIS, INC.  
Address: 415 E. VENICE AVE. Emergency Telephone No.: 800/688-4005  
City, State, ZIP: VENICE, FL 34292 Other Information Calls: 941/488-3999  
Signature of Person Responsible for Preparation (Optional): Date Prepared: REVISED - 1/04

## SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s))	% (optional)	OSHA PEL	ACGIH TLV	Other Exposure Limits	CAS NO.
Tetraethylenepentamine		1	1	N/A	112-57-2
Tertiary Amine		N.I.F.	N.E.	N/A	TRADE SECRET
Phenol,4,4,-(1-methylethylidene)BIS-,polymer with (chloromethyl)oxiran common. bisphenol A diglycidyl ether polymer.		N.E.	N.E.	N.E.	25068-38-6
Aromatic Petroleum Oil		N.E.	N.E.	N.E.	68477-29-2
Calcium Carbonate		15mg/m <sup>3</sup>	10mg/m <sup>3</sup>		1317-65-3
Titanium Dioxide (See attached sheet for CAS numbers)		15mg/m <sup>3</sup>	10mg/m <sup>3</sup>		
Tint Pigments					N/A

N.E. = NOT ESTABLISHED      N.I.F. = NO INFORMATION FOUND

## SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O = 1)	1.589	Vapor Pressure (mm Hg)	N/A
		Vapor Density (Air = 1)	N/A		
Solubility in Water	Negligible	Reactivity in Water	NONE		
Appearance and Odor	Clear or pigmented appearance typical epoxy/hardener odor	Melting Point	N.I.F.		

## SECTION 4 - FIRE & EXPLOSION DATA

Flash Point	210 F. C.	Method Used	SFCC	Flammable Limits in Air % by Volume	LEL Lower	N/A	UEL Upper	N/A
Auto-Ignition Temperature	N.I.F.	Extinguisher Media		CO2, Foam, Dry Chemical				
Special Fire Fighting Procedures	Self-contained breathing apparatus							

Unusual Fire and Explosion Hazards: Water not normally effective. Solid stream may spread fire. Spray mist preferred.

## SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability Unstable  Conditions  
Stable  to Avoid

Incompatibility (Materials to Avoid) Acid Base - Component A

Avoid strong oxidizing agents - Component B

Hazardous Decomposition Products Carbon monoxide, carbon dioxide, smoke & other possible unknown products.

Hazardous Polymerization May Occur  Conditions  
Will Not Occur  to Avoid

## SECTION 6 - HEALTH HAZARDS

1. Acute (Immediate) Dermatitis 2. Chronic (Delayed Effect) Skin irritant

Signs and Symptoms of Exposure Highly irritating to eyes. Defatting to skin. Rated as slight skin irritant. May be skin sensitizer.

Medical Conditions Generally Aggravated by Exposure Dermatitis.

Chemical Listed as Carcinogen or Potential Carcinogen NONE National Toxicology Program Yes  No  I.A.R.C. Monographs Yes  No  OSHA Yes  No

Emergency and First Aid Procedures This chemical is not considered to be carcinogenic by NTP, IARC or OSHA.

### ROUTES OF ENTRY

1. Inhalation Remove to fresh air.
2. Eyes Flush with water. Medical attention as required.
3. Skin Wash with soap and water.
4. Ingestion Contact physician.

## SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken in Handling and Storage Keep away from heat or open flame.

Other Precautions Persons who are chemically sensitive should not use this product.

Steps to be Taken in Case Material is Released or Spilled Pick up and discard appropriately.

Waste Disposal Methods (Consult federal, state, and local regulations) Burn in adequate incinerator or bury in approved landfill.

## SECTION 8 - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection (Specify Type) N.I.F.

Ventilation Recommended Local Exhaust Recommended Mechanical (General) Special Other

Protective Gloves Required Eye Protection Recommended

Other Protective Clothing or Equipment N/A

Work/Hygienic Practices Good hygiene habits. Clean clothing daily.

### IMPORTANT

Do not leave any blank spaces. If required information is unavailable, unknown, or does not apply, so indicate.

CU-F1R Printed by Labelmaster, An American Labelmark Company, Chicago, IL 60646 (800) 621-5808

**DYNAMIS, INC.**  
**VENICE, FL**

Page 3.

**MATERIAL SAFETY DATA SHEET ADDENDUM**

**EPO JOINT SEALANT**

Listed below are CAS Registry numbers for Titanium Dioxide:

1317-80-1  
1317-70-0  
1344-28-1  
78-96-6  
7784-30-7  
1309-64-4  
12030-97-6  
77-99-6